

CUR 412: Game Theory and its Applications, Lecture 8


Prof. Ronaldo CARPIO

May 15, 2015

Announcements

- ▶ We will reschedule last week's lecture; I will let you know when it is scheduled.
- ▶ Midterm: highest=93, mean=74, SD=17.
- ▶ The solutions will be posted on the web site later today.
- ▶ Also, HW #3 will be posted later today, due in 2 weeks.

Review of Previous Lecture: Extensive Games



- ▶ Extensive games can model a situation where players move sequentially.
- ▶ We describe extensive games with a *game tree*.
- ▶ Each *node* in the tree corresponds to a player's turn to move.
- ▶ Each branch from a node corresponds to an action of the player who moved.

Review of Previous Lecture: Extensive Games

- ▶ A *history* is a sequence of actions (i.e. a path from the *root node* to some other node).
- ▶ A *terminal history* is a path from the root node to a leaf node (i.e. an "ending" to the game).
- ▶ Players have preferences over terminal histories.
- ▶ A *strategy* of player i specifies which action to play at every node at which it is player i 's turn to move.
- ▶ A *strategy profile* s is a list of all players' strategies.
- ▶ The *outcome* of following the strategy profile s is the terminal history generated by following the actions specified in s .

Review of Previous Lecture: Strategic Form

- ▶ The *strategic form* of an extensive game Γ is the strategic game where each player's action set is his set of strategies in Γ .
- ▶ We can define Nash equilibria in the usual way for this strategic form.
- ▶ However, equilibria may contain *incredible threats*: actions which would be irrational when they are actually played in sequence.

Strategic Form of Entry Game

- ▶ The strategic form of the Entry Game is:


		Incumbent	
		<i>Acquiesce</i>	<i>Fight</i>
Challenger	<i>In</i>	2, 1	0, 0
	<i>Out</i>	1, 2	1, 2

- ▶ There are two Nash equilibria: (*In*, *Acquiesce*) and (*Out*, *Fight*).
- ▶ The first NE is the same as the one found with backwards induction.
- ▶ In the second NE, the incumbent chooses *Fight*. However, if *In* is taken as given, this is not rational. This is called an *incredible threat*.
- ▶ If the incumbent could commit to *Fight* at the beginning of the game, it would be credible.


Subgames

- ▶ The concept of Nash equilibrium ignores the sequential structure of an extensive game.
- ▶ It treats strategies as choices made once and for all at the beginning of the game.
- ▶ However, the equilibria of this method may contain incredible threats.
- ▶ We'll define a notion of equilibrium that excludes incredible situations.
- ▶ Suppose Γ is an extensive form game with perfect information.
- ▶ The *subgame* following a non-terminal history h , $\Gamma(h)$, is the game beginning at the point just after h .
- ▶ A *proper subgame* is a subgame that is not Γ itself.


Subgames



- ▶ This game has two proper subgames:



Subgame Perfect Equilibria



- ▶ A *subgame perfect equilibrium* is a strategy profile s^* in which each subgame's strategy profile is also a Nash equilibrium.
- ▶ Each player's strategy must be optimal for all subgames that have him moving at the beginning, not just the entire game.
- ▶ (*Out*, *Fight*) is a NE, but is not a subgame perfect equilibrium because in the subgame following *In*, the strategy *Fight* is not optimal for the incumbent.


Subgame Perfect Equilibria

- ▶ Every subgame perfect equilibrium is also a Nash equilibrium, but not vice versa.
- ▶ A subgame perfect equilibrium induces a Nash equilibrium in every subgame.
- ▶ In games with finite histories, subgame perfect equilibria are consistent with backwards induction.

Backwards Induction in Finite-Horizon Games


- ▶ In a game with a *finite horizon* (i.e. finite maximum length of all terminal histories), we can find all SPNE through backwards induction.
- ▶ This procedure can be interpreted as reasoning about how players will behave in future situations.
- ▶ Procedure:
 - ▶ For all subgames of length 1 (i.e. 1 action away from a terminal node), find the optimal actions of the players.
 - ▶ Take these actions as given. For all subgames of length 2, find the optimal actions of the players...
 - ▶ Repeat until we cover the entire tree.

Example 170.1




- ▶ There are 2 subgames with length 1.

Example 170.1




- ▶ Consider the left subgame. It is Player 2's turn to move.
- ▶ Player 2's optimal action is E , resulting in payoff $(2, 1)$.
- ▶ We will assume Player 2 always chooses E , so the payoff of this subgame is $(2, 1)$.

Example 170.1




- ▶ Therefore, the payoff to Player 1 choosing C is $(2,1)$.

Example 170.1




- ▶ Consider the right subgame. It is Player 2's turn to move.
- ▶ Player 2's optimal action is H , resulting in payoff (1, 3).
- ▶ We will assume Player 2 always chooses H , so the payoff of this subgame is (1, 3).

Example 170.1




- ▶ Therefore, the payoff to Player 1 choosing D is $(1, 3)$.
- ▶ Now, Player 1's optimal action is C .
- ▶ Backwards induction gives the strategy pair (C, EH) .
- ▶ The outcome of (C, EH) is the terminal history CE with payoff $(2, 1)$.

Example 170.1



- ▶ We mark the optimal actions at each node with thick lines.


Strategic Form of 170.1



	<i>EG</i>	<i>EH</i>	<i>FG</i>	<i>FH</i>
<i>C</i>	2,1	2,1	3,0	3,0
<i>D</i>	0,2	1,3	0,2	1,3


- ▶ Let's compare the backwards induction result (C, EH) to the NE of the strategic form.
- ▶ (C, EG) and (C, EH) are NE of strategic form.
- ▶ However, (C, EG) includes a non-optimal action for Player 2 in the right subgame, so is not a subgame-perfect NE.

Example 160.1




- ▶ There is one subgame with length 1, and one subgame with length 2.

Example 160.1




- ▶ In this subgame, it is Player 1's turn to move.
- ▶ Optimal action is G, resulting in payoff (1,2).

Example 160.1




- ▶ Assume Player 1 chooses G with certainty.
- ▶ Then, the payoff to choosing E is $(1,2)$.

Example 160.1




- ▶ In this subgame, it is Player 2's turn to move.
- ▶ Optimal action is E , resulting in payoff $(1,2)$.

Example 160.1




- ▶ Optimal action is D , resulting in payoff $(2, 0)$.
- ▶ Backwards induction gives the strategy pair (DG, E) resulting in terminal history D .

Example 160.1



- ▶ Backwards induction gives the strategy pair (DG, E) resulting in terminal history D .


Strategic Form of 160.1



	<i>E</i>	<i>F</i>
<i>CG</i>	1,2	3,1
<i>CH</i>	0,0	3,1
<i>DG</i>	2,0	2,0
<i>DH</i>	2,0	2,0


- ▶ NE of strategic form are: (CH, F) , (DG, E) , (DH, E) .
- ▶ Only (DG, E) is a subgame perfect NE.

Example 158.1 (Variant of Entry Game)





- ▶ What if there are multiple optimal actions in a subgame? Then we need to keep track of them separately.
- ▶ This is a variant of the entry game in which the Incumbent is indifferent between *Acquiesce*, *Fight*.

Example 158.1 (Variant of Entry Game)



- ▶ In this subgame, both *Acquiesce* and *Fight* are optimal actions.
- ▶ We cannot eliminate either as an irrational choice. So, we keep track of both possibilities.

Example 158.1 (Variant of Entry Game)




- ▶ Backwards induction gives $(In, Acquiesce)$ and $(Out, Fight)$.
- ▶ In this case, the NE of the strategic form are the same as the subgame-perfect NE.

Continuous Action Sets

- ▶ The action set at a node may be infinite (e.g. if the player chooses a real number).
- ▶ In this case, we graphically represent this with an arc between the lowest and highest possible values.
- ▶ Effectively, there are an *infinite* number of branches in the game tree at this node.
- ▶ Suppose it is Player i 's turn to move after all of these branches. Then Player i 's strategy profile must specify an action for *all* possible branches.

Continuous Action Sets




- ▶ If the infinite set of actions is an interval of real numbers $[a, b]$, then Player i 's strategy profile for this node must be a *function* over $[a, b]$.
- ▶ For a strategy profile to be a subgame perfect NE, it must induce a NE at each of the infinite subgames.

Exercise 177.1 (Firm-Union Bargaining)

- ▶ A union and a firm are bargaining.
- ▶ First, the union presents a wage demand $w \geq 0$.
- ▶ The firm chooses an amount $L \geq 0$ of labor to hire.
- ▶ The firm's output is $L(100 - L)$ when it uses $L \leq 50$ units of labor, and 2500 if $L > 50$.
- ▶ The price of output is 1.
- ▶ The firm's preferences are represented by its profits.
- ▶ The union's preferences are represented by the total wage bill, wL .

Exercise 177.1 (Firm-Union Bargaining)



- ▶ The firm's payoff is its profit, given by:

$$\Pi(w, L) = \begin{cases} L(100 - L) - wL & \text{if } L \leq 50 \\ 2500 - wL & \text{if } L > 50 \end{cases}$$

- ▶ Union's payoff: wL

Exercise 177.1 (Firm-Union Bargaining)

$$\Pi(w, L) = \begin{cases} L(100 - L) - wL & \text{if } L \leq 50 \\ 2500 - wL & \text{if } L > 50 \end{cases}$$

- ▶ For every $w \geq 0$, there is a subgame where the firm's payoff depends on w .
- ▶ Profit has a quadratic part (if $L \leq 50$) and a linear part (if $L > 50$), and is continuous at $L = 50$.
- ▶ We want to find the profit-maximizing choice of L .
- ▶ The linear part is decreasing in L , so we can ignore it (its maximum is at $L = 50$).
- ▶ Quadratic part is maximized at $L^* = \frac{100-w}{2}$.

Exercise 177.1 (Firm-Union Bargaining)

- ▶ Quadratic part is maximized at $L^* = \frac{100-w}{2}$.
- ▶ Firm's profit is:

$$\frac{100-w}{2} \left(100 - \frac{100-w}{2}\right) - w \frac{100-w}{2} = \frac{(w-100)^2}{4}$$

- ▶ Profit is always non-negative. Firm's best response correspondence is:

$$B_f(w) = \begin{cases} L \geq 50 & \text{if } w = 0 \\ L = \frac{100-w}{2} & \text{if } 0 < w \leq 100 \\ L = 0 & \text{if } w > 100 \end{cases}$$

Exercise 177.1 (Firm-Union Bargaining)

$$B_f(w) = \begin{cases} L \geq 50 & \text{if } w = 0 \\ L = \frac{100-w}{2} & \text{if } 0 < w \leq 100 \\ L = 0 & \text{if } w > 100 \end{cases}$$

- ▶ Now, consider the union's decision.
- ▶ If $w = 0$ or $w > 100$, union's payoff is 0.
- ▶ $wB_f(w) = \frac{w(100-w)}{2}$ is maximized at $w^* = 50$.
- ▶ $L^* = B_f(50) = 25$.

Exercise 177.1 (Firm-Union Bargaining)

- ▶ The set of subgame perfect NE is:
- ▶ Union's strategy profile: at the empty history, choose $w = 50$.
- ▶ Firm's strategy profile: at the subgame following the history w , choose an element of $B_f(w)$.
- ▶ Note that the firm has an infinite number of strategy profiles, but there is only one equilibrium outcome, since only the subgame after $w = 50$ will be realized.
- ▶ Firm's payoff is 625 and union's payoff is 1250.

Exercise 177.1 (Firm-Union Bargaining)

- ▶ Is there an outcome that both players prefer to the SPNE outcome with payoffs (1250, 625)?
- ▶ Suppose that instead of each player maximizing his own payoff, a *social planner* could choose both w and L .
- ▶ The sum of payoffs is $L(100 - L) - wL + wL = L(100 - L)$ which is maximized at $L = 50$. The choice of w then allocates payoffs to the firm and union.
- ▶ For example, if $w = 30$, then the firm's payoff is 1000 and the union's payoff is 1500.
- ▶ This is an illustration that individual maximization may not achieve the most efficient outcome.

Exercise 177.1 (Firm-Union Bargaining)

- ▶ Is there a Nash equilibrium outcome that differs from any subgame perfect NE outcome?
- ▶ Suppose the union's strategy is: offer $w = 100$ and the firm's strategy profile is: for any w , offer $L = 0$.
- ▶ The firm has no incentive to deviate, since it will make a negative payoff for any $L > 0$.
- ▶ The union has no incentive to deviate, because it will get a payoff of 0 for any choice of w .
- ▶ This is not subgame perfect, since the firm's strategy is not optimal for $w < 100$.

Characteristics of Finite Horizon Games

- ▶ **Proposition:** In a finite horizon extensive game with perfect information, the set of strategy profiles isolated by backwards induction is the set of all subgame-perfect equilibria.
- ▶ **Proposition:** Every finite extensive game with perfect information has a subgame perfect equilibrium.

Announcements

- ▶ Please read Chapter 6 for next meeting.
- ▶ We will reschedule last week's lecture; I will let you know when it is scheduled.
- ▶ Midterm solutions will be posted on the web site later today.
- ▶ Also, HW #3 will be posted later today, due in 2 weeks.